

0-26
weeks

Bowel Habits & Constipation



Normal Bowel Motions

BOWEL HABITS AND CONSTIPATION IN BABIES

Parents often wonder if their baby's bowel habits are normal. It's worth keeping in mind that each baby is different and they will develop their own bowel movement patterns. This brochure is designed to help you understand what the bowel does, how it works and what's important to look out for.

THE DIGESTIVE PROCESS

The digestive tract is a long tube that starts at the mouth and ends at the anus. Digestion begins when food enters the mouth and undergoes a series of changes until the gut has extracted most of the nutrients, which are then absorbed into the bloodstream. Any food not used by the body becomes waste and is passed in bowel motions or "poo".

FIRST MOTIONS

The first bowel motion a newborn passes is called meconium and is greenish black and sticky. It's a good sign that the bowel is working and not obstructed.

As their digestion matures and they become used to feeding on milk, babies' poos will change in colour and consistency.

MOTIONS OF BREASTFED AND FORMULA-FED BABIES

Your baby's stools will change regularly as they develop from a newborn through infancy. What to expect will depend on their diet.

COMPARING BREASTFED AND FORMULA-FED BABIES' POO

	BREASTFED BABIES	FORMULA-FED BABIES
FREQUENCY	<p>May poo several times a day until they are around six weeks old.</p> <p>Older babies may not have a bowel motion for several days up to a week.</p>	<p>Tend to poo less frequently in the first few weeks.</p>
CONSISTENCY	<p>May be very soft and loose enough to run out the sides of the nappy. It may also contain mucus.</p>	<p>More formed but can vary from firm or hard to soft and plasticine-like.</p>
COLOUR	<p>Varies from yellow to bright green.</p>	<p>Varies from yellowish brown to dark green or black due to the iron in the formula.</p>
SMELL	<p>Generally don't smell very strong or can be sweet-smelling.</p>	<p>Tend to be much smellier than breastfed babies' poos.</p>
CHANGES	<p>Changes between poos are normal. Hard, crumbly poos may be a sign that they aren't getting enough milk.</p>	<p>When weaning onto formula, or introducing or changing formula, the frequency, consistency, colour and smell often changes.</p>
CONSTIPATION	<p>Breast milk is suited to a baby's digestive tract and has a natural laxative effect so they are rarely constipated.</p>	<p>It's not unusual for some formula-fed babies to experience constipation.</p>

Many babies grunt, groan, pull up their legs and go red in the face when they're doing a poo. Some cry and behave as if they're in pain even when the poo is soft. Why babies behave like this is unknown, though it may be because they are lying down and can't rely on gravity to help them or the poo is so soft it doesn't put enough pressure on the anus. Sometimes motions can be explosive and can be alarming if accompanied with noise and wind.

If you are concerned that your baby may be constipated, speak with a healthcare professional.



What is Constipation?

- Constipation is when a baby passes hard, dry, crumbly or pellet-shaped poos, which are difficult to push out, causing them pain and discomfort.
- Constipation is not usually about how often a baby has a bowel motion, but the consistency of poo. Infrequent bowel motions may be a baby's normal bowel pattern.
- Sometimes bleeding from a small split in the anus can occur as a result of strained pushing. If this does occur speak with your healthcare professional.

Causes of Constipation in Babies

NOT ENOUGH MILK TO DRINK

Breast and formula-fed babies need enough milk to grow and for their gut to work effectively.

INCORRECT PREPARATION OF FORMULA

Tightly packed or overfilled scoops are too concentrated. The formula should be scooped out of the tin without tapping and leveled off with a knife or side of the can. Make sure to mix the right amount of formula powder to the right amount of water based on the manufacturer's recommendations. Remember to pour the recommended quantity of water into the bottle first and then add the formula powder before shaking the bottle well.

CHANGING FORMULA

Constipation may happen for a short while when transitioning from breast milk to formula, as well as changing from one formula to another.

INTRODUCING SOLIDS FOR THE FIRST TIME

It can take some time for a baby's digestive system to adjust to their new diet. Sometimes the combination of low fibre and not enough fluids can cause constipation.

A SLUGGISH DIGESTIVE TRACT

Some babies have naturally slow gut movement, which can lead to constipation.

NOT ENOUGH FLUIDS

Dehydration can cause a baby's poo to become hard and dry, particularly on very hot days or when they are unwell and refusing fluids.

What Can I Do If My Baby is Constipated?

If your baby is constipated, there are a number of ways you can help them return to their regular bowel motions.



For babies over six months, offer extra amounts of cooled, boiled water to help soften hard poos and help move bowel contents along.



Give your baby a warm bath and a gentle tummy massage in a clockwise, circular direction to help to stimulate the bowel and relax an unsettled baby.



Give your baby some floor time to kick freely without their nappy. Extra movement and exercise can often help them do a poo.



Hold your baby's ankles and gently move their legs in a cycling motion. Flexing and extending their legs while they are on their back can help relieve feelings of discomfort.



Babies over six months can be offered fruit juice mixed with water. Prune juice is often effective when diluted 1 part juice to 3 parts of water (e.g. 10 mL juice to 30 mL cooled, boiled water).



For babies over six months of age who are eating solids, extra vegetables and pureed fruit can help to boost their fibre intake.

What Not to Do When My Baby is Constipated



Don't put anything into your baby's bottom or try to prise the poo out yourself.



Don't give enemas, herbal teas or home remedies. A baby's rectum is very small and delicate and it's easy to cause damage and trauma.



Don't compare your baby's bowel habits with those of other babies. Your baby's elimination patterns will be as unique as they are.



Don't become too preoccupied with your baby's bowel habits. As long as your baby is thriving, gaining weight and happy, try not to be concerned.



Avoid giving your baby laxatives unless they have been prescribed by a doctor. If constipation persists, or there is blood in your baby's poo, ask a healthcare professional for advice.

Please consult your healthcare professional if you are concerned about constipation with your baby.

For more information specific to your baby's age, visit [meandmychild.com.au](https://www.meandmychild.com.au)



Important Statement:

Breastfeeding is best for babies. It has benefits for the infant, such as reducing infection risk, and for the mother. It is important to have a healthy balanced diet in preparation for, and during breastfeeding. Infant formula is designed to replace breast milk when an infant is not breastfed. Breastfeeding can be negatively affected by introducing partial bottle-feeding, and reversing a decision not to breastfeed is difficult. Infant formula must be prepared and used as directed. Unnecessary or improper use of infant formula, such as not properly boiling water or sterilising feeding equipment, may make your baby ill. Social and financial implications, including preparation time and the cost of formula, should be considered when selecting a method of infant feeding.



 1800 552 229

 Meandmychild.com.au

  S26AlulaToddler

The information in this brochure has been prepared with the guidance and assistance of a healthcare professional. It is provided for general information only and is not a substitute for professional advice. Please consult your doctor if you are concerned about your child's health. Sanulac Nutritionals does not accept liability for any loss or injury suffered by any person relying on the information in this brochure.

© Sanulac Nutritionals Australia Pty Ltd. 42-44 Chandos Street, St Leonards NSW 2065. ABN 31 160 607 509. 05460-30/09/21